

FLOOD LIGHT

SMALL LED FLOOD LIGHT



Project:

Location:

Cat No:

Type:

Qty:

Notes:

About:



Just the perfect light that dissipates higher lumens per watt, perfectly illuminating the wider areas. This LED is better than any other conventional lights.

SKU: AOLF-FL-017-CAC001



LUMENS	CCT	OPTIONS	SURGE PROTECTION	BEAM ANGLE	FINISH
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
22-2200 (20W)	40-4000K	Blank-None	Blank-Without Surge Protection	60-60°	BL-Black
44-4400 (38W)	50-5000K	PC-Photocell	SP-Surge Protection	120-120°	WH-White
57-5750 (50W)					BZ-Bronze

FLOOD LIGHT
SMALL LED FLOOD LIGHT



Dimensions
20 Watt



38 Watt



50 Watt



FLOOD LIGHT

SMALL LED FLOOD LIGHT

FEATURES:

- Exceptional illumination performance and energy saving up to 80%.
- High quality clear tampered glass lens.
- Excellent thermal management brings long life.
- Water resistance with IP65 rating.

APPLICATION:

- Façades, industrial yards, recreationals areas, etc.

WARRANTY:

- 5 Years

TECHNICAL CHARACTERSTICS:

Material	Die-Cast Aluminum Housing
Input Voltage	100V to 277V AC; 50/60Hz
CRI	≥75
Power Factor	>0.9
Efficiency	117.45Lm/W
IP Rating	IP65
Operating Temperature	-40°F to 113°F
Sensors	Photocell Sensor Option Available
Safety Certification	UL/cUL, DLC Listed