


VANITY LIGHT

LED CYLINDER VANITY LIGHT



Project:

Location:

Cat No:

Type:

Qty:

Notes:



About:
LED vanity light with easy installation and convenient maintenance. Beautiful appearance customized for residential and commercial application.

SKU: AOLF-DE-012-EAF001					
SIZE	RATING	LUMENS	CCT	CRI	FINISH
<div> <div></div> <div>24 - 24"</div> </div>	<div> <div>DA</div> <div>DA - Damp Rated</div> </div>	<div> <div></div> <div>16 - 1600</div> </div>	<div> <div></div> <div>30 - 3000K</div> </div>	<div> <div>80</div> <div>>80</div> </div>	<div> <div></div> <div>BL - Black</div> </div>
<div> <div></div> <div>36 - 36"</div> </div>		<div> <div></div> <div>25 - 2500</div> </div>	<div> <div></div> <div>40 - 4000K</div> </div>		<div> <div></div> <div>WH - White</div> </div>
<div> <div></div> <div>48 - 48"</div> </div>		<div> <div></div> <div>16 - 1600</div> </div>	<div> <div></div> <div>50 - 5000K</div> </div>		<div> <div></div> <div>SL - Silver</div> </div>



VANITY LIGHT

LED CYLINDER VANITY LIGHT



24" size



36" size



48" size



VANITY LIGHT

LED CYLINDER VANITY LIGHT

FEATURES:

- Easy installation and maintenance.
- Contemporary cylinder made of acrylic diffuser.
- Designed for residential and commercial lighting applications.
- White acrylic diffuser provides even illuminations.

APPLICATION:

- Residential, hotels, hospitals, etc.

WARRANTY:

- 5 Years

TECHNICAL CHARACTERSTICS:

Input Power	20W, 30W, 40W,
Input Voltage	120V to 277V AC
Frequency	50/60Hz
Power Factor	>0.98
Lifespan	50,000 Hours
Beam Angle	180°
Water resistance	Damp Rated
Mounting	Wall Mounting
Application	Indoor
Safety Certification	ETL Listed, Confirms To UL 1598 / 8750